


609 & 611 POWER BACKHOES PARTS MANUAL





SERIAL NUMBER: _____

MODEL NUMBER: _____

Manual Number: PM557 Part Number: 75457

Rev. 7

LIMITED WARRANTY

EFFECTIVE ON PRODUCTS MANUFACTURED AFTER JANUARY 1, 2001

All new BRADCO products are warranted to be free from defects in materials or workmanship which may cause failure under normal usage and service when used for the purpose intended.

In the event of failure within twenty four (24) months from initial retail sale, lease or rental date (excluding cable, ground engaging parts such as sprockets, digging chain, bearings, teeth, tamping and demolition heads, blade cutting edges, pilot bits, auger teeth, auger heads & broom bristles), if after examination, BRADCO determines failure was due to defective material and/or workmanship, parts will be repaired or replaced. BRADCO may request defective part or parts be returned prepaid to them for inspection at their place of business at Delhi, lowa, or to a location specified by BRADCO.

Any claims under this warranty must be made within fifteen (15) days after the Buyer learns of the facts upon which such claim is based. All claims not made in writing and received by BRADCO within the time period specified above shall be deemed waived.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EX-PRESSED OR IMPLIED AND THERE ARE NO WARRANTIES OF MERCHANT-ABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL BRADCO BE LIABLE FOR CONSEQUENTIAL OR SPECIAL DAMAGE.


BRADCO'S LIABILITY FOR ANY AND ALL LOSSES AND DAMAGES TO BUYER, RESULTING FROM ANY CAUSE WHATSOEVER, INCLUDING BRADCO'S NEGLIGENCE, IRRESPECTIVE OF WHETHER SUCH DEFECTS ARE DISCOVERABLE OR LATENT, SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PARTICULAR PRODUCTS WITH RESPECT TO WHICH LOSSES OR DAMAGES ARE CLAIMED, OR, AT THE ELECTION OF BRADCO, THE REPAIR OR REPLACEMENT OF DEFECTIVE OR DAMAGED PRODUCTS.

-TABLE OF CONTENTS —

SERVICE PARTS

| MAINFRAME ASSEMBLY Mainframe Swing Post Swing Cylinder Stabilizers Hose Bundle Clamps | #8744 | 3 |
|---|---|----------|
| 609 BOOM & DIPPER ASSEM | /IBLY#8262 | 3 |
| | //BLY#8246 | |
| CONSOLE ASSEMBLY | #8744 | 2 |
| VALVE ASSEMBLY | #223 | 2 |
| | DNTROL#8333 | |
| CYLINDERS | | |
| SWING CYLINDER | #8102 | 2 |
| | R#8298 | - |
| | #8262 | |
| | #8247 | |
| 609 DIPPER CYLINDE | R - SN #8289 & UP #8578 UP TO SN #8289 #8262 | |
| 611 DIPPER CYLINDE | R - SN #8227 & UP#8577 | |
| OTT BITTER OTENIBL | UP TO SN #8227 #8247 | |
| BUCKET CYLINDER | #8247 | |
| HOSESETS | | |
| MAINFRAME HOSE SE | T#8276 | 1 |
| | HOSE SET#8276 | |
| 611 BOOM & DIPPER I | HOSE SET #8276 | 3 |
| STABILIZER PAD OPTIONS | | |
| FLAT STABILIZER PAD | ASSEMBLY#8305 | 5 |
| | RPADASSEMBLY#8305 | |
| | BILIZER PAD ASSEMBLY #8305 | |
| | PAD ASSEMBLY#8305 | |
| BUCKET OPTIONS | <u>STANDARD</u> <u>SEVERE DUT</u> #8501 | <u>Y</u> |
| | #68212#8501 #8501 | |
| | #68216#8501 #8501 | |
| | #8502 | |
| | #8502 | |
| 609 FIRST LINE REPAIR KIT | #8375 | 8 |
| | #8375 | |
| 609 DECALS | #4023 | 5 |
| | #4023 | |
| | 69 | 79 |

MAINFRAME ASSEMBLY-



MAINFRAME ASSEMBLY—


ASSEMBLY #87443 MAINFRAME

| NO | REQ'D | PART NO. | DESCRIPTION |
|-----|----------|----------|--|
| 1 | 1 | 37554 | Hose .50" X 36" 8FJX 90° Short Gooseneck - 8FJX 90° Short Gooseneck |
| 2 | 1 | 3327 | Tee |
| 3 | 2 | 3049 | Bushing 12MP - 8FP |
| 4 | 1 | 3273 | Coupling 8FP-8FJX |
| 5 | 1 | 3211 | Close Nipple .50 NPT (Inline Filter) |
| Ū | 1 | 3309 | Heavy Close Nipple .50 NPT x 4.00" (Check Valve) |
| 6 | 1 | 45691 | Check Valve (Hex) |
| 7 | 2 | 3189 | Square Head Plug |
| 8 | 1 | 45132 | Inline Filter (Round) |
| 9 | 2 | 1010 | .25" UNC X 2.75" Hex Capscrew |
| 9 | 2 | 81595 | Spacer |
| | 8 | 1512 | .25" Flat Washer |
| | 2 | | |
| | | 1501 | .25" Lock Washer |
| 4.0 | 2 | 1224 | .25" UNC Hex Nut |
| 10 | 1 | 82609 | Priority Flow Divider |
| 11 | 1 | 3071 | 90° Adapter 8MP-8MJ |
| 12 | 1 | 37690 | Hose .50" X 41" (SN#10067 & UP) |
| | | | 8FJX-8FJX 45° Gooseneck |
| | _ | 37577 | Hose .50" X 39" 8FJX - 8FJX (UP TO SN#10067) |
| 13 | 4 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| . 0 | • | 1010 | (Pin retaining capscrews installed with Locktite Grade 242) |
| 14 | 2 | 1514 | .38" Flat Washer |
| 15 | 2 | 81807 | Spacer Tube |
| 16 | 2 | 82423 | Pin |
| 10 | 2 | 6616 | Grease Zerk |
| 17 | 1 | 82613 | Thrust Washer 2.00 X .125" |
| 18 | 2 | 1734 | Snap Ring |
| 19 | 2 | 82435 | Bearing |
| 20 | 1 | 82446 | Mainframe (Includes (4) #83815 Bushings, (4) 82447 |
| 20 | 1 | 02440 | Bushings - Installed with Locktite Grade 680) |
| | | | bushings - installed with Locklite Grade 600) |
| 21 | 1 | 82090 | Swing Lock Pin |
| 22 | As Req'd | 82611 | Thrust Washer 2.00" X .030" |
| | As Req'd | 82612 | Thrust Washer 2.00" X .060" |
| | As Req'd | 82613 | Thrust Washer 2.00" X .125" |
| 23 | 3 | 1503 | .38" Lock Washer |
| 24 | 2 | 6799 | Spacer |
| 25 | 2 | 6186 | Hose Clamp |
| 26 | 2 | 82794 | Bushing |
| 27 | 2 | 1611 | Cotter Pin .12 X 1.00" |
| 28 | 1 | 82796 | Linkage |
| 29 | 1 | 1982 | Shoulder Screw |
| 30 | 4 | 6886 | Rubber Bumper (Service Part ONLY) |
| 30 | 4 | 1542 | .50" UNC Lock Nut |
| 31 | 2 | 1226 | .38" UNC Hex Nut |
| 32 | | 1528 | .50 UNC Hex Nut |
| 33 | As Req'd | 1666 | |
| 55 | 1 | 1000 | Snap Ring |

NOTE: Use thrust washers (Item #22) to adjust mainframe / swing post to minimum free play. 7728

MAINFRAME ASSEMBLY-

ASSEMBLY #87443 SWING POST



-MAINFRAME ASSEMBLY—

ASSEMBLY #87443 SWING POST


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|----------|-----------|--|
| 1 | 2 | 1043 | .38" UNC X 1.00" Hex Capscrew (Installed with Locktite Grade 242) |
| 2 | 2 | 1503 | .38" Lock Washer |
| 3 | 2 | 1514 | .38" Flat Washer |
| 4 | 2 | 81807 | Spacer Tube |
| 5 | 2 | 81847 | Pin |
| 6 | 1 | 82408 | Swing Post (Includes (2) 82402 Bushings Installed with Locktite Grade 680) |
| 7 | 1 | 82415 (1) | Pivot Pin |
| 8 | As Req'd | 6623 | Thrust Washer 1.38" X .031" |
| | As Req'd | 64724 | Thrust Washer 1.38" X .090" |
| | As Req'd | 64725 | Thrust Washer 1.38" X .125" |
| 9 | 2 | 1650 | Snap Ring |
| 10 | - | 82402 | Bushing (Included with Swing Post) (Installed with Locktite Grade 680) |
| 11 | 1 | 82416 | Pivot Pin |
| 12 | As Req'd | 6622 | Thrust Washer 1.75" X .082" |
| 13 | 1 | 1651 | Snap Ring |
| 14 | 1 | 6616 | Grease Zerk |
| 15 | 1 | 1088 | .50" UNC X 1.00" Hex Capscrew |
| 16 | 1 | 1516 | .50" Flat Washer |
| 17 | 1 | 86149 | Spacer Tube |
| 18 | 1 | 1505 | .50" Lock Washer |

NOTE:

(1) Pivot Pin #82415 is sold only in Pin Kit #86306. Kit includes one pin #82415, two thrust washers #6623 and two snap rings #1650.

MAINFRAME ASSEMBLY-

ASSEMBLY #87443 SWING CYLINDERS




MAINFRAME ASSEMBLY—

ASSEMBLY #87443 SWING CYLINDERS

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|----------|----------|--|
| 1 | As Req'd | 57693 | Thrust Washer 1.25" X .078" |
| | As Req'd | 64727 | Thrust Washer 1.25" X .145" |
| 2 | - | 62523 | Self Aligning Bushing (Included in Swing Cylinder Assembly) |
| 3 | 2 | 82827 | Spacer |
| 4 | As Req'd | 68057 | Thrust Washer 1.50" |
| 5 | - | 82441 | Needle Bearing (Included in Swing Cylinder Assembly) |
| 6 | 2 | 81022 | Swing Cylinder Assembly (Includes (2) #82441 Needle Bearings and (1) #62523 Bushing) |
| | 2 | 6616 | Grease Zerk |
| | 2 | 30164 | Special LH Lateral Tee |
| 7 | 4 | 53031 | 90° Grease Zerk |
| 8 | 4 | 82420 | Pin |
| 9 | 4 | 1047 | .38" UNC X 2.00" Hex Capscrew |
| 10 | 4 | 1514 | .38" Flat Washer |
| 11 | 4 | 81595 | Spacer Tube |
| 12 | 4 | 1837 | .38" UNC Hex Lock Nut |
| 13 | - | 83815 | Bushing (Included in Mainframe - Installed with Locktite Grade 680) |

MAINFRAME ASSEMBLY-

ASSEMBLY #87443 STABILIZERS



MAINFRAME ASSEMBLY—

ASSEMBLY #87443 STABILIZERS

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|----------|-----------|---|
| 1 | 8 | 1652 | Snap Ring |
| 2 | As Req'd | 57693 | Thrust Washer 1.25" X .078" |
| | As Req'd | 64727 | Thrust Washer 1.25" X .145" |
| | As Req'd | 64728 | Thrust Washer 1.25" X .031" |
| 3 | 4 | 82993 (1) | Pin |
| 4 | 2 | 82980 | Stabilizer Cylinder Assembly |
| | 4 | 6616 | Grease Zerk |
| 5 | - | 82447 | Bushing (Included in Mainframe - Installed with Locktite Grade 680) |
| 6 | 2 | 82958 | Stabilizer Arm |
| 7 | 2 | 83233 | Pin |
| 8 | 2 | 1613 | Cotter Pin .25" X 2.00" |

NOTE:

(1) Pivot Pin #82993 is sold only in Pin Kit #86310. Kit includes one pin #82993, two thrust washers #64727 and two snap rings #1652.

-HOSEBUNDLECLAMPS ---




— HOSEBUNDLE CLAMPS ——

UP TO SERIAL #---10065

| NO | REQ'D | PART NO. | DESCRIPTION |
|----|-------|----------|-------------------------------|
| | | | |
| 1 | 2 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| 2 | 1 | 84724 | Right Hose Bundle Clamp |
| 3 | 2 | 1837 | .38" UNC Deformed Lock Nut |
| 4 | 1 | 84718 | Left Hose Bundle Clamp |

SERIAL #---10065 AND UP

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-------------------------------|
| 1 | 2 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| 2 | 1 | 84718 | Right Hose Bundle Clamp |
| 3 | 2 | 1837 | .38" UNC Deformed Lock Nut |
| 4 | 1 | 84718 | Left Hose Bundle Clamp |




ASSEMBLY #82623

| NO | REQ'D | PART NO. | DESCRIPTION |
|----|----------|-----------|---|
| 1 | - | 6615 | Self Aligning Bushing (Included in Cylinder Assembly) |
| 2 | 1 | 85782 | Dipper Cylinder Assembly |
| | 2 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 3 | As Req'd | 6623 | Thrust Washer 1.38" X .031" |
| | As Req'd | 64724 | Thrust Washer 1.38" X .090" |
| | As Req'd | 64725 | Thrust Washer 1.38" X .125" |
| 4 | 1 | 82625 | Boom Cylinder Assembly |
| | 1 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 5 | 1 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| | | | (Installed with Locktite Grade 242) |
| 6 | 1 | 1503 | .38" Lock Washer |
| 7 | 1 | 82862 | Clamp Plate |
| 8 | 1 | 82863 | Rubber Spacer |
| 9 | 1 | 6616 | Grease Zerk |
| 10 | - | 86673 | Bushing (Included in Boom Assembly) |
| 11 | 1 | 82534 (1) | Pivot Pin |
| 12 | 4 | 1650 | Snap Ring |
| 13 | 1 | 86634 (3) | Boom Lock Handle (Spring Pin Style) |
| 14 | 1 | 86366 (3) | Boom Lock (Spring Pin Style) |
| | 1 | 1972 (3) | Spring Pin |
| 15 | 1 | 86048 | Boom Assembly (Includes (2) 86673 & (2) 82552 |
| | | | Bushings - Installed with Locktite Grade 680) |
| 16 | 2 | 6562 | Spring Washer |
| 17 | 1 | 1959 | .88" UNC Jam Nut |
| 18 | 1 | 82535 (2) | Pivot Pin |
| 19 | 2 | 82861 | Double .50" Hose Clamp |
| | 2 | 82859 | Double .38" Hose Clamp |
| 20 | 2 | 1514 | .38" Flat Washer |
| 21 | 2 | 1837 | .38" UNC Deformed Lock Nut |
| 22 | 1 | 83656 | Handle Grip |
| 23 | 1 | 84137 | Guide Plate |
| 24 | 2 | 1961 | .38" UNC X .50" FlangeHead Hex Capscrew |
| 25 | 1 | 34120 | Hose Sock |
| 26 | 1 | 53167 | Hose Clamp |
| 27 | - | 82552 | Split Bushing (Included in Boom Assembly) |

NOTES:

- (1) Pivot Pin #82534 is sold only in Pin Kit #86309. Kit includes one pin #82534, two thrust washers #6623 and two snap rings #1650.
- (2) Pivot Pin #82535 is sold only in Pin Kit #86307. Kit includes one pin #82535, two thrust washers #6623, two snap rings #1650 and one grease zerk #6616.
- (3) If replacing set screw style boom lock or boom lock handle you must order #86634, #86366 AND #1972.



(NOT INCLUDED IN BOOM & DIPPER ASSEMBLY)


-609 BOOM & DIPPER ASSEMBLY—

ASSEMBLY #82623

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|----------|-----------|--|
| 1 | - | 6615 | Self Aligning Bushing (Included in Cylinder Assembly) |
| 2 | 1 | 82477 | Bucket Cylinder Assembly |
| | 2 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 3 | 2 | 1021 | .31" UNC X .75" Hex Capscrew |
| 4 | 1 | 7448 | SMV Clip (Used on Tractor Mounted Backhoes ONLY) |
| 5 | 1 | 82741 | SMV Clip Mounting Plate |
| 6 | 2 | 1502 | .31" Lock Washer |
| 7 | 2 | 1225 | .31" UNC Hex Nut |
| 8 | 2 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| 9 | 3 | 1503 | .38" Lock Washer |
| 10 | 2 | 1226 | .38" UNC Hex Nut |
| 11 | As Req'd | 6623 | Thrust Washer 1.38" X .031" |
| | As Req'd | 64724 | Thrust Washer 1.38" X .090" |
| | As Req'd | 64725 | Thrust Washer 1.38" X .125" |
| 12 | 6 | 1650 | Snap Ring |
| 13 | 2 | 82533 (1) | Pivot Pin |
| 14 | 1 | 1088 | .50" UNC X 1.00" Hex Capscrew |
| 15 | 1 | 1516 | .50" Flat Washer |
| 16 | 1 | 86149 | Spacer Tube |
| 17 | 1 | 82416 | Pivot Pin |
| 18 | - | 82402 | Bushing (2 Included in Dipper Assembly) |
| | | | (Installed with Locktite Grade 680) |
| 19 | As Req'd | 6622 | Thrust Washer 1.75" X .082 |
| 20 | 1 | 1651 | Snap Ring |
| 21 | 6 | 6616 | Grease Zerk |
| 22 | 1 | 82707 | Dipper Assembly (Includes (2) 81610 & (2) 82402 |
| | | | Bushings) (Bushings Installed with Locktite Grade 680) |
| 23 | - | 83370 | Spacer Tube (Used in Dipper UP to SN #8288) |
| 24 | - | 81610 | Bushing (Included in Dipper Assembly) |
| | | | (Installed with Locktite Grade 680) |
| 25 | 1 | 84914 | Dipper Link Plate |
| 26 | 1 | 83428 | Dipper Link |
| 27 | 1 | 82523 | Bucket Link Assembly |
| | | | (Bucket Link Assembly UP TO SN #292 Included |
| | | | (2) 81610 Bushings, (4) 81828 Bushings, (1) 83368 |
| 0.0 | • | 40.10 | Spacer, (2) 83369 Spacers) |
| 28 | 2 | 1613 | Cotter Pin |
| 29 | 1 | 82580 | Pivot Pin |
| 30 | 1 | 82595 | Pivot Pin |

NOTE:

(1) Pivot Pin #82533 is sold only in Pin Kit #86308. Kit includes one pin #82533, two thrust washers #6623 and two snap rings #1650.




ASSEMBLY #82469

| NO | REQ'D | PART NO. | DESCRIPTION |
|----|----------|----------------------|---|
| 1 | - | 6615 | Self Aligning Bushing (Included in Cylinder Assembly) |
| 2 | 1 | 85779 | Dipper Cylinder Assembly |
| | 2 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 3 | As Req'd | 6623 | Thrust Washer 1.38" X .031" |
| | As Req'd | 64724 | Thrust Washer 1.38" X .090" |
| | As Req'd | 64725 | Thrust Washer 1.38" X .125" |
| 4 | 1 | 82476 | Boom Cylinder Assembly |
| | 1 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 5 | 1 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| 6 | 1 | 1503 | .38" Lock Washer |
| 7 | 1 | 82862 | Clamp Plate |
| 8 | 1 | 82863 | Rubber Spacer |
| 9 | 1 | 6616 | Grease Zerk |
| 10 | - | 86673 | Bushing (Included in Boom Assembly) |
| 11 | 1 | 82534 (1) | Pivot Pin |
| 12 | 4 | 1650 | Snap Ring |
| 13 | 1 | 86634 ⁽³⁾ | Boom Lock Handle |
| 14 | 1 | 86366 (3) | Boom Lock |
| | 1 | 1972 (3) | .38" X .50" Set Screw |
| 15 | 1 | 82677 | Boom Assembly (Includes (2) 82552 & (2) 86673 |
| | | | Bushings - Installed with Locktite Grade 680) |
| 16 | 2 | 6562 | Spring Washer |
| 17 | 1 | 1959 | .88" UNC Jam Nut |
| 18 | 1 | 82535 (2) | Pivot Pin |
| 19 | 2 | 82859 | Double Hose Clamp |
| 20 | 2 | 1514 | .38" Flat Washer |
| 21 | 2 | 1837 | .38" UNC Deformed Lock Nut |
| 22 | 1 | 83656 | Handle Grip |
| 23 | 1 | 84137 | Guide Plate |
| 24 | 2 | 1961 | .38" UNC X .50" Flange Head Hex Capscrew |
| 25 | 1 | 34120 | Hose Sock |
| 26 | 1 | 53167 | Hose Clamp |
| 27 | - | 82552 | Bushing (Included in Boom Assembly) |

NOTES:

- (1) Pivot Pin #82534 is sold only in Pin Kit #86309. Kit includes one pin #82534, two thrust washers #6623 and two snap rings #1650.
- (2) Pivot Pin #82535 is sold only in Pin Kit #86307. Kit includes one pin #82535, two thrust washers #6623, two snap rings #1650 and one grease zerk #6616.
- (3) If replacing set screw style boom lock or boom lock handle you must order #86634, #86366 AND #1972.



(NOT INCLUDED IN BOOM & DIPPER ASSEMBLY)

-611 BOOM & DIPPER ASSEMBLY—


ASSEMBLY #82469

| NO | REQ'D | PART NO. | DESCRIPTION |
|----------|----------|--------------|---|
| 1 | - | 6615 | Self Aligning Bushing (Included in Cylinder Assembly) |
| 2 | 1 | 82477 | Bucket Cylinder Assembly |
| | 2 | 6616 | Grease Zerk |
| | 2 | 3103 | Straight Adapter |
| 3 | 2 | 1021 | .31" UNC X .75" Hex Capscrew |
| 4 | 1 | 7448 | SMV Clip (Used on Tractor Mounted Backhoes ONLY) |
| 5 | 1 | 82741 | SMV Clip Mounting Plate |
| 6 | 2 | 1502 | .31" Lock Washer |
| 7 | 2 | 1225 | .31" UNC Hex Nut |
| 8 | 2 | 1043 | .38" UNC X 1.00" Hex Capscrew |
| 9 | 2 | 1503 | .38" Lock Washer |
| 10 | 2 | 1226 | .38" UNC Hex Nut |
| 11 | As Req'd | 6623 | Thrust Washer 1.38" X .031" |
| | As Req'd | 64724 | Thrust Washer 1.38" X .090" |
| 4.0 | As Req'd | 64725 | Thrust Washer 1.38" X .125" |
| 12 | 6 | 1650 | Snap Ring |
| 13 | 2 | 82533 (1) | Pivot Pin |
| 14 15 | 1 1 | 1088 1516 | .50" UNC X 1.00" Hex Capscrew .50" Flat Washer |
| 16 | 1 | 86149 | |
| 17 | 1 | 82416 | Spacer Tube Pivot Pin |
| 18 | - | 82402 | Bushing (2 Included in Dipper Assembly) |
| 10 | _ | 02402 | (Installed with Locktite Grade 680) |
| 19 | As Req'd | 6622 | Thrust Washer 1.75" X .082 |
| 20 | As Requ | 1651 | Snap Ring |
| 21 | 6 | 6616 | Grease Zerk |
| 22 | 1 | 82682 | Dipper Assembly (Includes (2) 81610 & (2) 82402 |
| | • | 02002 | Bushings) (Bushings Installed with |
| | | | Locktite Grade 680) |
| 23 | _ | 83370 | Spacer Tube (Used in Dipper UP to SN #8226) |
| 24 | _ | 81610 | Bushing (Included in Dipper Assembly) |
| | | | (Installed with Locktite Grade 680) |
| 25 | 1 | 84914 | Dipper Link Plate |
| 26 | 1 | 83428 | Dipper Link |
| 27 | 1 | 82523 | Bucket Link Assembly |
| | - | | (Bucket Link Assembly UP TO SN #292 Included |
| | | | (2) 81610 Bushings, (4) 81828 Bushings, (1) 83368 |
| | | | Spacer, (2) 83369 Spacers) |
| 28 | 2 | 1613 | Cotter Pin |
| 29 | 1 | 82580 | Pivot Pin |
| 30 | 1 | 82595 | Pivot Pin |

NOTE:


(1) Pivot Pin #82533 is sold only in Pin Kit #86308. Kit includes one pin #82533, two thrust washers #6623 and two snap rings #1650.

CONSOLE ASSEMBLY-




CONSOLE ASSEMBLY—

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION | |
|---|----------------------------|---|--|--|
| 1 2 3 4 5 | 2 2 1 2 1 | 83063 81871 83235 1242 83409 | Ball Handle Control Handle Control Lever Boot .50" UNC Jam Nut Console Cover with Decals | |
| 6 7 8 9 | 1 1 1 | 83406 83273 82795 87288 | Ball Handle - RED Rod Spring Console | |
| 10 11 12 13 14 15 | 1 1 2 3 3 2 | 1476 5545 87147 1958 1926 1029 1089 | | |
| 16 17 18 19 20 | 4 4 4 1 4 | 1042 1503 1514 82999 1513 | .38" UNC X .75" Hex Capscrew .38" Lock Washer .38" Flat Washer Seat Mounting .31" Flat Washer | |
| 21 22 23 24 25 | 4 4 2 2 1 | 1502 1021 1516 1542 6980 | .31" Lock Washer .31" UNC X .75" Hex Capscrew .50" Flat Washer .50" UNC Lock Nut Seat | |
| 26 27 | 6 1 | 1958 1592 | .25" UNC X .75" Hex Head Body Bolt .38" UNF Lock Nut | |
| Replacement Bolt-On Steps for units built before June 1, 1999 | | | | |
| 28 29 30 31 32 | 1 6 6 6 | 82818 1925 1502 1225 82819 | Right Step (Located in Mainframe Assembly) .31" UNC X .75" Carriage Bolt .31" Lock Washer .31" UNC Hex Nut Left Step (Located in Mainframe Assembly) | |




| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---|
| 1 | 1 | 82608 | Valve - 6 Spool - Gresen |
| 2 | 2 | 3368 | O'Ring Adapter 8MBo-4FP |
| 3 | 2 | 3088 | 90° Adapter 4MP-6MJ Long |
| 4 | 3 | 3487 | O'Ring Adapter 10MBo-6FP |
| 5 | 3 | 3180 | 90° Adapter 6MP-8MJ |
| 6 | 1 | 82094 | Special Fitting |
| 7 | 1 | 3360 | Needle Valve |
| 8 | 1 | 37578 | Plastic Tube .25" X 30" (Located in Console Assembly) |
| 9 | 4 | 3283 | 90° Adapter 10MBo-8MJ |
| 10 | 2 | 30142 | 90° SAE O'Ring Boss 8MBo-6MJ |
| 10 | _ | 00142 | 50 C/LE O TRING BOOS ON BO ON O |
| 11 | 2 | 3336 | O'Ring Adapter 10MBo-4FP |
| 12 | - | 45643 | Restrictor with Spring109 Dia. Orifice (Included in Valve) |
| 13 | 1 | 3001 | 90° Adapter 4MP-6MJ |
| 14 | 1 | 30151 | Straight Adapter |
| | • | | (If Required to Extend Needle Valve Through Console) |
| 15 | 1 | 3185 | Needle Valve |
| | | | |
| 16 | 1 | 3137 | Male Connector 4MP-6MJ |
| 17 | 1 | 3469 | 45° Elbow 6MP-6FJX |
| | | | (Located in Mainframe Assembly & Used on Backhoes with SN#10067 & UP) |

509, 511, 609 & 611 BACKHOE VALVE ASSEMBLY



GRESEN INLET COVER




GRESENINLET COVER

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--|
| 1 | 1 | 4710 | Inlet Cover #10 Ports |
| 2 | 1 | 3156 | Plug |
| 3 | 1 | 45625 | WH Main Relief Valve Assembly @ 2500 PSI |

NOTES:

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals

GRESEN VALVE SECTION ASSEMBLY #45648 408 Dipper & Bucket Section 509, 511, 609 & 611 Dipper Section



GRESEN VALVE SECTION ASSEMBLY #45648 408 Dipper & Bucket Section 509, 511, 609 & 611 Dipper Section

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------------------|------------------|-------------------------|--|
| 1 2 3 4 5 | 1 2 1 2 | 45667 45653 45652 | Valve Section Housing Cylinder Port Relief Assembly @ 2500 PSI Spool Clevis Adapter Spool Seal Kit Spool |
| 6 | 1 | 45282 | Spool Positioner Assembly |

INCLUDED IN VALVE ASSEMBLY BUT NOT IN VALVE SECTION

| HITOLODED HT TA | <u>LVL AUGLIND</u> | ET BOT NOT IN VALVE CECTION |
|-----------------|--------------------|--|
| 1 | 45546 | Restrictor with Spring095 Dia. Orifice |
| | | (Used in 408 Dipper Section - Top Port) |
| 1 | 45633 | Restrictor with Spring076 Dia. Orifice |
| | | (Used in 408 Bucket Section - Bottom Port) |


NOTES:

Items without part numbers are not sold separately.

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

Complete Section Service Seal Kit #4719 includes ALL seals needed to service one complete valve section.

GRESEN VALVE SECTION ASSEMBLY #45649 509, 511, 609 & 611 Bucket Section



GRESEN VALVE SECTION ASSEMBLY #45649 509, 511, 609 & 611 Bucket Section

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--|
| | | | |
| 1 | 1 | | Valve Section Housing |
| 2 | 1 | 45669 | Cylinder Port Relief Assembly @ 3500 PSI |
| 3 | 1 | 45653 | Spool Clevis Adapter |
| 4 | 2 | 45652 | Spool Seal Kit |
| 5 | 1 | | Spool |
| | | | |
| 6 | 1 | 45282 | Spool Positioner Assembly |
| 7 | 1 | 4673 | Load Check Plug Assembly |

NOTES:


Items without part numbers are not sold separately.

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

Complete Section Service Seal Kit #4719 includes ALL seals needed to service one complete valve section.

GRESEN VALVE STABILIZER SECTION ASSEMBLY #4704

Horizontal Handle Assembly #45586 (Not included in Valve Section Assembly #4704)



GRESEN VALVE STABILIZER SECTION ASSEMBLY #4704

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---------------------------|
| 1 | 1 | | Valve Section Housing |
| 2 | 2 | 4819 | Lockout Check Assembly |
| 3 | 2 | 45652 | Spool Seal Kit |
| 4 | 1 | | Spool |
| 5 | 1 | 45282 | Spool Positioner Assembly |
| 6 | 1 | 45654 | Unlocking Piston |


NOTES:

Items without part numbers are not sold separately.

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

Complete Section Service Seal Kit #4719 includes ALL seals needed to service one complete valve section.

GRESEN VALVE SECTION ASSEMBLY #45666 509, 511, 609 & 611 Swing Section



GRESEN VALVE SECTION ASSEMBLY #45666 509, 511, 609 & 611 Swing Section

| <u>NO</u> | REQ'D | PART NO. | <u>DESCRIPTION</u> |
|-----------|-------|----------|---|
| 1 | 1 | | Valve Section Housing |
| 2 | 2 | 45670 | Cylinder Port Relief / Anti-Cav. |
| 3 | 1 | 45653 | Check Assembly @ 2500 PSI Spool Clevis Adapter |
| 4 | 2 | 45652 | Spool Seal Kit |
| 5 | 1 | | Spool |
| 6 | 1 | 45282 | Spool Positioner Assembly |
| 7 | 2 | 45633 | Port Restrictor with Spring |
| | | | .076 Dia. Orifice |


NOTES:

Items without part numbers are not sold separately.

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

Complete Section Service Seal Kit #4719 includes ALL seals needed to service one complete valve section.

GRESEN VALVE SECTION ASSEMBLY #45650 509, 511, 609 & 611 Boom Section



GRESEN VALVE SECTION ASSEMBLY #45650 509, 511, 609 & 611 Boom Section

| NO | REQ'D | PART NO. | DESCRIPTION |
|----|-------|----------|---|
| 4 | 4 | | Value Continue Housing |
| 1 | 1 | | Valve Section Housing |
| 2 | 2 | 45668 | Cylinder Port Relief Assembly @ 3000 PSI |
| 3 | 1 | 45653 | Spool Clevis Adapter |
| 4 | 2 | 45652 | Spool Seal Kit |
| 5 | 1 | | Spool |
| | | | |
| 6 | 1 | 45282 | Spool Positioner Assembly |
| 7 | 2 | 45643 | Port Restrictor with Spring .109 Dia. Orifice |

NOTES:


Items without part numbers are not sold separately.


Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

Complete Section Service Seal Kit #4719 includes ALL seals needed to service one complete valve section.

6952

GRESEN OUTLET COVER





TORQUE TO 20 ft. lbs.

GRESEN OUTLET COVER

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---|
| 1 | 1 | 4690 | Outlet Cover |
| 2 | 1 | 4691 | Open Center Plug Assembly |
| 3 | 1 | 3234 | (Includes Open Center Plug & Main O-Ring Seal #4693) Plug |


OPTIONAL

| 4 | - | 6977 | Closed Center Plug Assembly (Includes Main O-Ring Seal #4693) |
|---|---|------|--|
| 5 | - | 4698 | Power Beyond Sleeve Assembly (Includes Main O-Ring Seal #4693) |

NOTES:

Valve Section Seal Kit #4653 contains (3) Exhaust Passage O-Ring Seals and (2) Pressure Passage O-Ring Seals.

LEFT MECHANICAL JOYSTICK ASSEMBLY #45655 RIGHT MECHANICAL JOYSTICK ASSEMBLY #45656




5-16-96

LEFT MECHANICAL JOYSTICK ASSEMBLY #45655 RIGHT MECHANICAL JOYSTICK ASSEMBLY #45656

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--|
| 1 | 1 | 45657 | Mounting Plate |
| 2 | 2 | 1943 | Screw |
| 3 | 1 | 45664 | Rod End |
| 4 | 1 | 45662 | Mechanical Slide |
| 5 | 1 | 1945 | Screw |
| 6 | 3 | 1944 | Screw |
| 7 | 1 | 45658 | Bracket - Left |
| | 1 | 45659 | Bracket - Right |
| 8 | 1 | 45661 | Rod End Stud |
| 9 | 1 | 1271 | Screw |
| 10 | 3 | 45660 | Spacer |
| 11 | 3 | 1942 | Lock Nut |
| | | | |
| 12 | 1 | 45663 | Handle Plate Assembly (Includes Items #13 through #17) |
| 13 | 1 | 45671 | Mechanical Joystick Plate |
| 14 | 1 | 1087 | Screw |
| 15 | 2 | 45664 | Female Rod End |
| 16 | 1 | 45672 | Handle Adapter |
| 17 | 2 | 1271 | Screw |

Horizontal Handle and Bracket Assembly #45586




Horizontal Handle and Bracket Assembly #45586


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-------------|
| 1 | 1 | * | Handle |
| 2 | 3 | * | Cotter Pin |
| 3 | 1 | * | Pin |
| 4 | 1 | * | Link |
| | 1 | * | Link Plate |
| 5 | 2 | * | Screw |
| 6 | 1 | * | Bracket |

^{*} NOTE: All parts marked with an asterisk (*) are included in Horizontal Handle and Bracket Assembly #45586. Parts are not sold separately.


GRESEN VALVE SERVICE PARTS




Spool Positioner Assembly




Load Check Plug Assembly




Cylinder Port Relief Assembly




Cylinder Port Relief Assembly



Lockout Check Assembly



Port Restrictor and Spring Assembly




WH Main Relief Valve Assembly

GRESEN VALVE SERVICE PARTS

| NO 1 | PART NO. 45282 | DESCRIPTION Spool Positioner Assembly |
|----------------|-----------------------|--|
| | | a Bonnet b Spring |
| | | c Spring Collar |
| | | d Spool Spud e Screw |
| 2 | 4673 | Load Check Plug Assembly (Seal Kit #4822) |
| | | a Plug b O-Ring Seal |
| | | c Backup Ring |
| | | d O-Ring Seal e Backup Ring |
| | | f O-Ring Seal |
| | | g Spring h Poppet |
| 3 | 45667 | Cylinder Port Relief Assembly @ 2500 PSI |
| | 45668 | Cylinder Port Relief Assembly @ 3000 PSI |
| | 45669 | Cylinder Port Relief Assembly @ 3500 PSI |
| | 4822 | tolerances only the seals may be serviced in the field.) Seal Kit |
| | | a O-Ring Seal |
| | | b Backup Ring c O-Ring Seal |
| | | d Backup Ring |
| 4 | 45670 | e O-Ring Seal Relief/Anti-Cav. Check Assembly @ 2500 PSI |
| • | (Due to close t | tolerances only the seals may be serviced in the field.) |
| | 4822 | Seal Kit a O-Ring Seal |
| | | b Backup Ring |
| | | c O-Ring Seal d Backup Ring |
| | | e O-Ring Seal |
| 5 | 4819 | Lockout Check Assembly |
| | (Due to close t | tolerances only the seals may be serviced in the field.) Seal Kit |
| | | a O-Ring Seal |
| | | b Backup Ring c O-Ring Seal |
| | 4=000 | d Backup Ring |
| 6 | 45633 | Port Restrictor Assembly .076 Dia. Orifice |
| | 45643 | Port Restrictor Assembly .109 Dia. Orifice a Spring |
| 7 | 45005 | b Orifice Plate |
| 7 (Due t | 45625 | WH Main Relief Valve Assembly @ 2500 PSI only the seals may be serviced in the field.) |
| (Dao | 45142 | Seal Kit |
| | | a O-Ring Seal b Backup Ring |
| | | c O-Ring Seal |
| | | d O-Ring Seal 6958 5-15-96 |
| | | 5-15-96 |


OPTIONAL SWING SPEED CONTROL-



- OPTIONAL SWING SPEED CONTROL-

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---------------------------|
| 1 | 1 | 3185 | Needle Valve |
| 2 | 1 | 3137 | Male Connector |
| 3 | 1 | 4247 | Swing Speed Control Decal |

OPTIONAL STEP ASSEMBLY-




OPTIONAL STEP ASSEMBLY—

| <u>NO</u> | REQ'D | PART NO. | <u>DESCRIPTION</u> |
|-----------|-------|----------|-------------------------------|
| 1 | 1 | 83651 | Step |
| 2 | 2 | 1045 | .38" UNC X 1.50" Hex Capscrew |
| 3 | 2 | 1503 | .38" Lock Washer |
| 4 | 2 | 1226 | .38" UNC Hex Nut |

-CYLINDERASSEMBLY-

SWING CYLINDER ASSEMBLY #81022



-CYLINDERASSEMBLY—


SWING CYLINDER ASSEMBLY #81022

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 81024 | Cylinder Rod |
| 2 | 1 | 77441 | Cylinder Gland |
| 3 | 2 | 82441 | Needle Bearing |
| 4 | 1 | 81023 | Cylinder Tube |
| 5 | 1 | 82578 | Piston |
| 6 | 1 | 1483 | Hex Nut |
| 7 | 1 | 62523 | Self Aligning Bushing |
| 8 | 1 | 45389* | Rod Wiper |
| 9 | 1 | 4570* | O'Ring |
| 10 | 1 | 45219* | Poly Pak Seal |
| 11 | 1 | 45249* | Back-Up Ring |
| 12 | 1 | 45557* | O'Ring |
| 13 | 1 | 5421 | Washer |
| 14 | 1 | 4641* | O'Ring |
| 15 | 1 | 45251* | Piston Ring |
| 16 | 1 | 45250* | O'Ring |

NOTE: Seal Kit #45551 Includes all parts marked with an asterisk (*). Parts are not sold separately.

-CYLINDERASSEMBLY-

STABILIZER CYLINDER ASSEMBLY #82980



-CYLINDERASSEMBLY-


STABILIZER CYLINDER ASSEMBLY #82980

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|----------------|
| 1 | 1 | 82981 | CylinderTube |
| 2 | 1 | 1483 | Hex Nut |
| 3 | 1 | 87170 | Piston |
| 4 | 1 | 77445 | Cylinder Gland |
| 5 | 1 | 82986 | Cylinder Rod |
| | | | |
| 6 | 1 | 45744* | O'Ring |
| 7 | 1 | 45743* | Piston Ring |
| 8 | 1 | 4641* | O'Ring |
| 9 | 1 | 45555* | O'Ring |
| 10 | 1 | 4631* | Back-Up Ring |
| | | | |
| 11 | 1 | 45225* | Poly Pak Seal |
| 12 | 1 | 4908* | O'Ring |
| 13 | 1 | 45372* | Rod Wiper |
| | | | |

NOTE: Seal Kit #45746 includes all parts marked with an asterisk (*). Parts are not sold separately.

CYLINDER ASSEMBLY-

511 & 609 BOOM CYLINDER ASSEMBLY #82625



-CYLINDER ASSEMBLY-


511 & 609 BOOM CYLINDER ASSEMBLY #82625

| <u>NO</u> | REQ'D | PART NO. | <u>DESCRIPTION</u> |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 82635 | Cylinder Tube |
| 2 | 1 | 1483 | Hex Nut |
| 3 | 1 | 82793 | Piston |
| 4 | 1 | 77445 | Cylinder Gland |
| 5 | 1 | 82636 | Cylinder Rod |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 4570* | O'Ring |
| 8 | 1 | 4569* | Piston Ring |
| 9 | 1 | 4641* | O'Ring |
| 10 | 1 | 45555* | O'Ring |
| 11 | 1 | 4631* | Back-Up Ring |
| 12 | 1 | 45225* | Poly Pak Seal |
| 13 | 1 | 4908* | O'Ring |
| 14 | 1 | 45372* | Rod Wiper |

NOTE: Seal Kit #45550 includes all parts marked with an asterisk (*). Parts are not sold separately.

CYLINDER ASSEMBLY-

611 BOOM CYLINDER ASSEMBLY #82476



-CYLINDER ASSEMBLY-

611 BOOM CYLINDER ASSEMBLY #82476


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 82481 | Cylinder Tube |
| 2 | 1 | 1483 | Hex Nut |
| 3 | 1 | 82817 | Piston |
| 4 | 1 | 77451 | Cylinder Gland |
| 5 | 1 | 82482 | Cylinder Rod |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 45245* | O'Ring |
| 8 | 1 | 45244* | Piston Ring |
| 9 | 1 | 4641* | O'Ring |
| 10 | 1 | 45242* | O'Ring |
| 11 | 1 | 45243* | Back-Up Ring |
| 12 | 1 | 45119* | Poly Pak Seal |
| 13 | 1 | 45412* | O'Ring |
| 14 | 1 | 45370* | Rod Wiper |

NOTE: Seal Kit #45415 includes all parts marked with an asterisk (*). Parts are not sold separately.

CYLINDER ASSEMBLY-

609 DIPPER CYLINDER ASSEMBLY #85782

SERIAL #---8289 AND UP



-CYLINDER ASSEMBLY-

609 DIPPER CYLINDER ASSEMBLY #85782

SERIAL #---8289 AND UP


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 85783 | CylinderTube |
| 2 | 1 | 1484 | Hex Nut |
| 3 | 1 | 85737 | Piston |
| 4 | 1 | 77447 | Cylinder Gland |
| 5 | 1 | 82626 | Cylinder Rod |
| | | | |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 4908* | O'Ring |
| 8 | 1 | 4909* | Piston Ring |
| 9 | 1 | 4865* | O'Ring |
| 10 | 1 | 45559* | O'Ring |
| | | | |
| 11 | 1 | 4790* | Back-Up Ring |
| 12 | 1 | 45119* | Poly Pak Seal |
| 13 | 1 | 45245* | O'Ring |
| 14 | 1 | 45370* | Rod Wiper |

NOTE: Seal Kit #45375 includes all parts marked with an asterisk (*). Parts are not sold separately.

CYLINDER ASSEMBLY-

SERVICE PARTS ONLY - 609 DIPPER CYLINDER ASSEMBLY #82624

UP TO SERIAL #---8289



-CYLINDER ASSEMBLY-

SERVICE PARTS ONLY - 609 DIPPER CYLINDER ASSEMBLY #82624

UP TO SERIAL #---8289

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--------------------------|
| 1 | 1 | 82628 | Cylinder Tube - SEE NOTE |
| 2 | 1 | 1484 | Hex Nut |
| 3 | 1 | 68926 | Piston - SEE NOTE |
| 4 | 1 | 77447 | Cylinder Gland |
| 5 | 1 | 82626 | Cylinder Rod |
| | | | |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 4908* | O'Ring |
| 8 | 1 | 4909* | Piston Ring |
| 9 | 1 | 4865* | O'Ring |
| 10 | 1 | 45559* | O'Ring |
| | | | |
| 11 | 1 | 4790* | Back-Up Ring |
| 12 | 1 | 45119* | Poly Pak Seal |
| 13 | 1 | 45245* | O'Ring |
| 14 | 1 | 45370* | Rod Wiper |
| | | | |

NOTE: Seal Kit #45375 includes all parts marked with an asterisk (*). Parts are not sold separately.


NOTE: If ordering a complete new dipper cylinder order assembly #85782. The dipper cylinder #82624 (serial #---8288 or before) can be upgraded to the new dipper cylinder #85782 by replacing the cylinder tube and piston (Items #1 & #3) with cylinder tube #82783 and piston #85737.

6854

CYLINDER ASSEMBLY-

611 DIPPER CYLINDER ASSEMBLY #85779

SERIAL #---8227 AND UP



-CYLINDER ASSEMBLY-

611 DIPPER CYLINDER ASSEMBLY #85779

SERIAL #---8227 AND UP


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 85780 | Cylinder Tube |
| 2 | 1 | 1483 | Hex Nut |
| 3 | 1 | 85461 | Piston |
| 4 | 1 | 77451 | Cylinder Gland |
| 5 | 1 | 82495 | Cylinder Rod |
| | _ | | |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 45245* | O'Ring |
| 8 | 1 | 45244* | Piston Ring |
| 9 | 1 | 4641* | O'Ring |
| 10 | 1 | 45242* | O'Ring |
| | | | |
| 11 | 1 | 45243* | Back-Up Ring |
| 12 | 1 | 45119* | Poly Pak Seal |
| 13 | 1 | 45412* | O'Ring |
| 14 | 1 | 45370* | Rod Wiper |

NOTE: Seal Kit #45415 includes all parts marked with an asterisk (*). Parts are not sold separately.

-CYLINDER ASSEMBLY-

SERVICE PARTS ONLY - 611 DIPPER CYLINDER ASSEMBLY #82478

UP TO SERIAL #---8227



CYLINDER ASSEMBLY-

SERVICE PARTS ONLY - 611 DIPPER CYLINDER ASSEMBLY #82478

UP TO SERIAL #---8227


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--------------------------|
| 1 | 1 | 82494 | Cylinder Tube - SEE NOTE |
| 2 | 1 | 1483 | Hex Nut |
| 3 | 1 | 64397 | Piston - SEE NOTE |
| 4 | 1 | 77451 | Cylinder Gland |
| 5 | 1 | 82495 | Cylinder Rod |
| | _ | | |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 45245* | O'Ring |
| 8 | 1 | 45244* | Piston Ring |
| 9 | 1 | 4641* | O'Ring |
| 10 | 1 | 45242* | O'Ring |
| | | | |
| 11 | 1 | 45243* | Back-Up Ring |
| 12 | 1 | 45119* | Poly Pak Seal |
| 13 | 1 | 45412* | O'Ring |
| 14 | 1 | 45370* | Rod Wiper |
| | | | |

NOTE: Seal Kit #45415 includes all parts marked with an asterisk (*). Parts are not sold separately.

NOTE: If ordering a complete new dipper cylinder order assembly #85779. The dipper cylinder #82478 (serial #---8226 or before) can be upgraded to the new dipper cylinder #85779 by replacing the cylinder tube and piston (Items #1 & #3) with cylinder tube #85780 and piston #85461.

-CYLINDERASSEMBLY-

BUCKET CYLINDER ASSEMBLY #82477



-CYLINDERASSEMBLY-

BUCKET CYLINDER ASSEMBLY #82477


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-----------------------|
| 1 | 1 | 82505 | Cylinder Tube |
| 2 | 1 | 1484 | Hex Nut |
| 3 | 1 | 55904 | Piston |
| 4 | 1 | 77444 | Cylinder Gland |
| 5 | 1 | 82506 | Cylinder Rod |
| 6 | 2 | 6615 | Self Aligning Bushing |
| 7 | 1 | 4570* | O'Ring |
| 8 | 1 | 4569* | Piston Ring |
| 9 | 1 | 4865* | O'Ring |
| 10 | 1 | 45555* | O'Ring |
| 11 | 1 | 4631* | Back-Up Ring |
| 12 | 1 | 45117* | Poly Pak Seal |
| 13 | 1 | 4908* | O'Ring |
| 14 | 1 | 45364* | Rod Wiper |


NOTE: Seal Kit #45547 includes all parts marked with an asterisk (*). Parts are not sold separately.

MAINFRAME HOSE SET-

ASSEMBLY #82761

SN #100067 AND UP





MAINFRAME HOSE SET-

ASSEMBLY #82761

SN #10067 AND UP

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--|
| 1 | 4 | 37553 | Hose Assembly .25" X 58" 6FJX-6FJX |
| 2 | 1 | 37700 | Hose Assembly .25" X 12" 6FJX-6FJX 45° Gooseneck |
| 3 | 2 | 37552 | Hose Assembly .25" X 14.50" 6FJX-6FJX |
| 4 | 1 | 37699 | Hose Assembly .25" X 17.00" 6FJX-6FJX |

NOTE: Refer to the mainframe assembly for the priority valve hoses which are included in this assembly but have been shown in the mainframe assembly for clarity.

NOTE: Letters on the hose set diagram show the hydraulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose Assembly labeled "C" runs from the upper Left Stabilizer port on the hydraulic control valve - through the mainframe and to the barrel end fitting on the left stabilizer cylinder.


NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.


MAINFRAME HOSE SET-

ASSEMBLY #82761

UP TO SN #100067







MAINFRAME HOSE SET-

ASSEMBLY #82761

UP TO SN #10067

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---|
| 1 | 4 | 37553 | Hose Assembly .25" X 58" 6FJX-6FJX |
| 2 | 1 | 37522 | Hose Assembly .25" X 16.35" 6FJX-6FJX 90° Gooseneck |
| 3 | 2 | 37552 | Hose Assembly .25" X 14.50" 6FJX-6FJX |
| 4 | 1 | 37644 | Hose Assembly .25" X 17.50" 6FJX-6FJX 90° Short Gooseneck |

NOTE: Refer to the mainframe assembly for the priority valve hoses which are included in this assembly but have been shown in the mainframe assembly for clarity.


NOTE: Letters on the hose set diagram show the hydraulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose Assembly labeled "C" runs from the upper Left Stabilizer port on the hydraulic control valve - through the mainframe and to the barrel end fitting on the left stabilizer cylinder.


NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.

609 BOOM & DIPPER HOSE SET-

ASSEMBLY #82762

HYDRAULIC CONTROL VALVE





6845 9-11-98-3

609 BOOM & DIPPER HOSE SET-

ASSEMBLY #82762

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION | |
|-----------|-------|----------|----------------------------|----------------|
| 1 | 2 | 37558 | Hose Assembly 8FJX-8FJX | .38" X 93" |
| 2 | 2 | 37570 | Hose Assembly 8FJX-8FJX | .38" X 138.50" |
| 3 | 2 | 37569 | Hose Assembly 8FJX-8FJX | .38" X 135" |


NOTE: Letters on the hose set diagram show the hydaulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose Assembly labeled "G" runs from the lower Boom port on the hydraulic control valve - through the mainframe and swing post and to the rod end of the boom cylinder.


NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.

- 611 BOOM & DIPPER HOSE SET-

ASSEMBLY #82763

HYDRAULIC CONTROL VALVE






611 BOOM & DIPPER HOSE SET-


ASSEMBLY #82763

| NO | REQ'D | PART NO. | DESCRIPTION | |
|----|-------|----------|----------------------------|-------------|
| 1 | 2 | 37558 | Hose Assembly 8FJX-8FJX | .38" X 93" |
| 2 | 4 | 37559 | Hose Assembly 8FJX-8FJX | .38" X 157" |

NOTE: Letters on the hose set diagram show the hydaulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose Assembly labeled "G" runs from the lower Boom port on the hydraulic control valve - through the mainframe and swing post and to the rod end of the boom cylinder.

NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.





——— STABILIZER PADS ———

FLAT STABILIZER PAD ASSEMBLY - #83055

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|---------------------|
| 1 | 2 | 83079 | Flat Stabilizer Pad |

LARGE GROUSER PAD ASSEMBLY - #83057

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|-------------------|
| 2 | 2 | 83086 | Large Grouser Pad |

GROUSER PAD ASSEMBLY - #83054


| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|------------------------|
| 3 | 2 | 83059 | Grouser Stabilizer Pad |

RUBBER STABILIZER PAD ASSEMBLY - #83056

| REQ'D | PART NO. | DESCRIPTION |
|-------|---------------------------------|--|
| 2 | 83084 | Rubber Stabilizer Pad Assembly (Includes Items 5 through 11) |
| 1 | 83085 | Stabilizer Pad |
| 4 | 1226 | .38" UNC Hex Nut |
| 4 | 1503 | .38" Lock Washer |
| 2 | 1514 | .38" Flat Washer |
| 1 | 51190 | Slide Plate |
| 1 | 64412 | Rubber Strip Bundle |
| 2 | 1661 | .38" UNC X 11.50" Readi Bolt |
| | 2 1 4 4 2 1 1 | 2 83084 1 83085 4 1226 4 1503 2 1514 1 51190 1 64412 |

-STABILIZER PADS-

FLIP-OVER STABILIZER PAD ASSEMBLY #83091 (COMPLETE SET OF (2) FLIP-OVER PADS - ASSEMBLY #83058)




-STABILIZER PADS -

FLIP-OVER STABILIZER PAD ASSEMBLY #83091 (COMPLETE SET OF (2) FLIP-OVER PADS - ASSEMBLY #83058)

| NO | REQ'D | PART NO. | DESCRIPTION |
|----|---------------|-----------|--------------------------------|
| 4 | 4 | 0.4.4.0.0 | Flip Over Ded |
| 1 | 1 | 84496 | Flip-Over Pad |
| 2 | 2 | 84495 | Spacer |
| 3 | 2 | 1652 | 1.25" Snap Ring |
| 4 | VARIES | 57693 | Thrust Washer 1.25" X .078" |
| | VARIES | 64727 | Thrust Washer 1.25" X .125" |
| 5 | 1 | 83096 | Pin |
| | | | |
| 6 | 6 | 1837 | .38" UNC Hex Deformed Lock Nut |
| 7 | 6 | 1514 | .38" Flat Washer |
| 8 | 3 | 51190 | Slide Plate |
| 9 | 1 | 64412 | Rubber Strip Bundle |
| 10 | 4 | 1053 | .38" UNC X 3.50" Hex Capscrew |
| | | | |
| 11 | 2 | 1057 | .38" UNC X 5.00" Hex Capscrew |

OPTIONAL STABILIZER CYLINDER COVER-

STABILIZER CYLINDER COVER ASSEMBLY #83851




OPTIONAL STABILIZER CYLINDER COVER-

STABILIZER CYLINDER COVER ASSEMBLY #83851

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|-------|----------|--------------------------------------|
| 1 | 2 | 83852 | Stabilizer Cylinder Cover with Decal |
| 2 | 2 | 4167 | No Step Decal |
| 3 | 2 | 83906 | Muffler Clamp Assembly |
| 4 | 2 | 83856 | Guide Ring |
| 5 | 4 | 1575 | .38" UNC X .50" Set Screw |

BUCKETASSEMBLIES-

POWER DIG BUCKETS



BUCKETASSEMBLIES-

POWER DIG BUCKETS

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-------------|----------------------------|---|---|
| 1 | 8 | 6355 | Bushing |
| 2 | 1 | 67412 67416 67418 67420 67424 | 12" Bucket Weldment 16" Bucket Weldment 18" Bucket Weldment 20" Bucket Weldment 24" Bucket Weldment |
| 3 | 1 | 67399 67393 67387 67338 66387 | 12" Replacement Front Cutter Edge 16" Replacement Front Cutter Edge 18" Replacement Front Cutter Edge 20" Replacement Front Cutter Edge 24" Replacement Front Cutter Edge |
| 4 5 6 | Varies Varies Varies | 55090 55088 56073 | Replacement Tooth Shank Replacement Tooth Point Replacement Tooth Point and Shank Assembly |
| 7 8 | 1 1 | 68482 6616 | Spacer Grease Zerk |
| 9 | Optional | 82948 | Bell Hole Bucket Link (Requires 3 Grease Zerks - Part #6616) |
| 10 | 1 1 | 67151 67152 | Left Replacement Side Cutter Right Replacement Side Cutter |

NOTE:

Power dig buckets have three different bucket link positions for different digging needs.


Position "A" power digging position for added digging force in hard ground.

Position "B" truck loading position for greater ease of spoil removal and higher dump height.

Position "C" standard digging position with a good balance of digging force and bucket rotation for general digging use.

BUCKETASSEMBLIES -

SEVERE DUTY BUCKETS



BUCKETASSEMBLIES -

SEVERE DUTY BUCKETS

| <u>NO</u> | REQ'D | PART NO. | DESCRIPTION |
|-----------|------------------|---|---|
| 1 | 8 8 | 68043 6355 | Bushing (MD2 Series Backhoes) Bushing (HD, 500 & 600 Series Backhoes) |
| 2 | 1 | 85225 85226 85227 85228 85229 | 12" Bucket Weldment 16" Bucket Weldment 18" Bucket Weldment 20" Bucket Weldment 24" Bucket Weldment |
| 3 | 1 | 85236 85241 85246 85251 85256 | 12" Replacement Front Cutter Edge 16" Replacement Front Cutter Edge 18" Replacement Front Cutter Edge 20" Replacement Front Cutter Edge 24" Replacement Front Cutter Edge |
| 4 | Varies | 74228 | Replacement Tooth Shank (Weld On) |
| 5 | Varies | 84863 | Replacement Tooth (Bolt On) |
| 6 7 | Varies Varies | 74227 85003 | Spiral Roll Pin Replacement Tooth Point and Shank Assy |
| 8 | 1 | 68482 | Spacer |
| 9 | 1 | 6616 | Grease Zerk |
| 10 | Optional | 82948 | Bell Hole Bucket Link (Requires 3 Grease Zerks #6616) |
| 11 | 1 1 | 67151 67152 | Left Replacement Side Cutter Right Replacement Side Cutter |


NOTE:

Severe duty buckets have three different bucket link positions for different digging needs.

Position "A" digging position for added digging force in hard ground.


Position "B" truck loading position for greater ease of spoil removal and higher dump height.

Position "C" standard digging position with a good balance of digging force and bucket rotation for general digging use. 7345



6863 6-22-99-2

| NO | REQ'D | PART NO. | <u>DESCRIPTION</u> |
|----|-------|----------|--------------------------------------|
| 4 | 4 | 45075 | 0 110 (0) |
| 1 | 1 | 45375 | Seal Kit (Dipper Cylinder) |
| | 1 | 45547 | Seal Kit (Bucket Cylinder) |
| | 2 | 45550 | Seal Kit (Boom/Stabilizer Cylinders) |
| | 1 | 45551 | Seal Kit (Swing Cylinder) |
| 2 | 2 | 81610 | Bushing |
| | 2 | 6355 | Bushing |
| 3 | 4 | 6616 | Grease Zerk |
| 4 | 4 | 84863 | Severe Duty Bucket Tooth |
| 5 | 4 | 1650 | Snap Ring 1.38" |
| | | | |
| 6 | 4 | 6623 | Thrust Washer 1.38" X .031" |
| 7 | 1 | 65349 | Cylinder Seal Install Tool |
| 8 | 2 | 1613 | Cotter Pin |




6876 6-22-99-2

| <u>NO</u> | REQ'D | PART NO. | <u>DESCRIPTION</u> |
|-----------|-------|----------|---------------------------------|
| 1 | 2 | 45415 | Seal Kit (Boom/Dipper Cylinder) |
| · | 1 | 45547 | Seal Kit (Bucket Cylinder) |
| | 1 | 45550 | Seal Kit (Stabilizer Cylinders) |
| | 1 | 45551 | Seal Kit (Swing Cylinder) |
| 2 | 2 | 81610 | Bushing |
| | 2 | 6355 | Bushing |
| 3 | 4 | 6616 | Grease Zerk |
| 4 | 4 | 84863 | Severe Duty Bucket Tooth |
| 5 | 4 | 1650 | Snap Ring 1.38" |
| 0 | 4 | 0000 | Thursd Western 4 2011 V 0241 |
| 6 | 4 | 6623 | Thrust Washer 1.38" X .031" |
| 7 | 1 | 65349 | Cylinder Seal Install Tool |
| 8 | 2 | 1613 | Cotter Pin |

DECAL PLACEMENT

GENERAL INFORMATION

The diagrams on this page shows the location of all the decals used on the 609 and 611 backhoes. The decals are identified by their part numbers, with reductions of the actual decals located on the following pages. Use this information to order replacements for lost or damaged decals. Be sure to read all decals before operating the backhoe. They contain information you need to know for both safety and backhoe longevity.



6857 9-14-04-4

BRAD CO.

PART #40245 (3 REQ'D) BRADCO LOGO - SILBER

609


PART #40247 (2 REQ'D) 609 MODEL NUMBER 611

PART #40248 (2 REQ'D) 611MODEL NUMBER

SERVICE INFORMATION

#4271

THIS IS AN INLINE 90 MICRON SINTERED BRONZE FILTER. IF PLUGGED OR PARTIALLY FILLED IT WILL REDUCE BACKHOE PERFORMANCE. REMOVE AND WASH OUT REGULARLY. REPLACE ELEMENT #45133 IF DIFFICULT TO BLOW THROUGH AFTER WASHING. SEE FULL INSTRUCTIONS IN OWNERS MANUAL.



PART #4271 INLINE FILTER DECAL

WARNING





HIGH-PRESSURE FLUID HAZARD

To prevent serious injury or death:

- Relieve pressure on system before repairing or adjusting or disconnecting.
- Wear proper hand and eye protection when searching for leaks. Use wood or cardboard instead of hands.
- Keep all components in good repair.

#40151

PART #40151 HIGH PRESSURE FLUID DECAL

IMPORTANT

TO PREVENT BACKHOE DAMAGE:

- DO NOT ATTACH TOW CHAIN TO DIPPER OR BUCKET.
- DO NOT REPEATEDLY SLAM SWING POST INTO SWING STOPS.

PREPARATION FOR STORAGE

LUBRICATE ALL GREASE POINTS. LEAVE AS MANY CYLINDERS IN **CLOSED POSITION AS POSSIBLE. COVER ALL EXPOSED CYLINDER RODS WITH A LIGHT COAT OF** GREASE. #40257

PART #40257 IMPORTANT! DECAL



TO PREVENT SERIOUS INJURY **OR DEATH:**

- Do not operate or work on this machine without reading and understanding Operator's Manual.
- Avoid unsafe operation or maintenance.
- Do not operate machine with guards and covers removed.
- This machine was designed to be operated by one operator. Do not carry passengers on unit.
- Before installing backhoe on your unit extend boom and dipperstick and lower bucket to ground.
- Never use backhoe as manlift.
- Operate backhoe control levers from operator's seat only. Lower stabilizers and bucket to ground before leaving operator's seat.
- Engage boom lock and swing lock before transporting backhoe. #40255

PART #40255

OPERATIONAL WARNING DECAL






To prevent serious injury or death from pinching:

 Keep all persons and objects clear while any part of this machine is in motion.

PART #40149 DANGER! PINCH POINTS


> 6790 2-14-00-2

- DECALS -










PART #4368 OPERATING CONTROLS DECAL


PETCOCK

OPEN TO RELIEVE PRESSURE WHEN HOOKING UP HYDRAULIC COUPLERS. ALWAYS CLOSE PETCOCK BEFORE OPERATING BACKHOE.


PART #4170 PETCOCK OPERATION DECAL



PART #4247 SWING SPEED CONTROL DECAL



PART #40219 BOOM LOCK DECAL



PART #40249 SWING LOCK DECAL

IMPORTANT

The backhoe bucket is capable of contacting this stabilizer and/or cylinder. Careful operation will avoid backhoe damage.

#4140

PART #4140 BUCKET CONTACT WARNING DECAL



PART #4338 MADE IN U.S.A. DECAL



PART #40440 CALL BEFORE YOU DIG



PART#4084 GREASE 8 HOURS